

EXECUTIVE SECRETARIAT

2006 MAR -3 P 3: 57

NATIONAL HIGHWAY TRAFFIC SAFETY ADM.

Optima Bus Corp. 1601 E. 77<sup>th</sup> North Valley Center, KS 67147

February 23, 2006

01-022-N11B-11394 5pss.

Administrator National Highway Traffic Safety Administration (NSA-32) 400 Seventh Street, SW Washington, DC 20590

Subject: VIN Decoding Information for Optima Bus Corp.

In accordance with § 565.7 © of 49 CFR Part 565, Vehicle Identification Number, Optima Bus Corporation hereby submits Vehicle Identification Number (VIN) decoding information. We have the following addition:

Position	Туре	Description	Assigned Code
5	Axle Series - Meritor	MFS12, RS21160	7

Thank you for your attention to this submission.

If you have any questions regarding this, please contact us.

Sincerely,

Keith Pfannenstiel P.E.

Director of New Product Development

# **ADDENDUM**

"Z" for Optima Bus Corp., Inc.

Revised 6/30/05

The following is information needed to construct a complete VIN (Vehicle Identification Number) for any Optima Bus Corp. vehicle.

A VIN is a 17-digit code that is required by DOT regulations 49 CFR PART 571.115, PART 565 and PART 566. It describes the manufacturer of the vehicle and various features of the vehicle. A guide describing the codes in a manufacturer's VIN is submitted to NHTSA for their files. Use information about the vehicle to answer the following questions and enter the appropriate code in the proper position.

Position 1 Code: 1 Used to designate the country of manufacture. Since Optima Bus	Position 8 Brake Type - Meritor	Code:
Corp., Inc. is a United States Manufacturer, SAE assigns a "1" for this position.	Disc Brake System S-Cam Drum Air Brake System	D S
Position 2 Code: Z Used for the first letter of the name of the manufacturing company,	Position 9 Calculated Check Digit	

Position 3	Code: 9
Used to designate the size of the manufacturing company.	SAE
assigns a "9" for this position since Chance Coach, Inc.	
manufactures fewer than 500 units a year.	

Position 4	Code:
MODEL of unit	
Streetcar (AH-28)	S
Low Floor Bus (LFB29, LFB34, LFB32)	В

Position 5	C-1-
	Code:
For Model S, and B	
Meritor FG 943, and RS19145 Axles	2
Meritor MFS12, RS21145	6
Meritor MFS12, RS21160	7

## Position 6 and 7

For Model S and B enter the Body Style Code in Position 6.

Body Style LFB-29	Code:
CNG-28	В
	C
LFB-34	D
AH-28	Н
LPG-28	L
LFB-32	M

For Model S and B enter the Engine Code in Position 7.	
Engine - Cummins	Code:
B5.9 02-200 hp Diesel	R
B5.9 02-245 hp Diesel	S
B5.9 02-275 hp Diesel	T
BG-230 hp CNG (was BG-195hp CNG Never Used)	U
BG-195 hp LPG	V
B5.9 02-260 hp Hybrid	W

Positio	n 10						
Year of	Manut	facture Co	de				
2003	3	2006	6	2009	9	2012	C
2004	4	2007	7	2010	A	2013	D
2005	5	2008	8	2011	В	2014	E

Position 11	Code: W
Represents the location of the plant of manufacture:	
Optima Bus Corp. Wichita, KS.	

Position 12	Code: 2
Position 13	Code: 1
Position 14	Code: 6

These three positions are assigned by SAE and are unique to Optima Bus Corp. they are used by SAE to distinguish vehicles produced by Optima Bus Corp. from those produced by other manufactures.

### Position 15, 16 and 17


Calculated Check Digit

Enter the production unit number, as specified by Optima Bus Corp. production into these three positions.

# VEHICLE TYPE: OPUS LFB 29

378 SUM

# VIN POSITION




DIVIDED BY 11 34

WHOLE

VEHICLE TYPE: OPUS LFB 34

### VIN POSITION



374 SUM DIVIDED BY 11 34 WHOLE 0

VEHICLE TYPE: MASTER 2/1/06

# VIN POSITION

